

L Number	Hits	Search Text	DB	Time stamp
1	1	Sonnenreich.in. and toolbar	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/24 15:12
2	3	MacNaughton.in. and toolbar	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/24 15:17
3	5	Sheldon.in. and toolbar	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/24 15:20
4	30	(("5630042") or ("5744787") or ("5784058") or ("5802530") or ("5813007") or ("5883810") or ("5877759") or ("5890172") or ("5914714") or ("5917491") or ("5993142") or ("5963952") or ("5974446") or ("6000832") or ("6020884")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/24 15:28
5	12	(("6026435") or ("6034683") or ("6061695") or ("6072486") or ("6232972") or ("6262731")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/24 15:34
6	23	(("6266058") or ("6373507") or ("6433800") or ("6460058") or ("6483525") or ("6486892") or ("6493000") or ("6496203") or ("6505238") or ("6542897") or ("6549217")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/24 15:35
13	2	("20010035885").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/24 16:01
14	22	(("20010035885") or ("20020057299") or ("20020075326") or ("20020077978") or ("20020078095") or ("20020089549") or ("20020097277") or ("20020149615") or ("20020149618") or ("20020154159") or ("20020158912")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/24 16:13
15	2	("20020163544").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/24 16:14
16	2	("20020163545").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/24 16:15
17	2	("20020186239").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/24 16:16
18	2	("20020186249").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/24 16:16
19	2	("20020186255").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/24 16:20

20	2	("20020186256").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/24 16:20
21	2	("20030009768").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/24 16:22
22	2	("20030011641").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/24 16:22
23	2	("20030028764").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/24 16:23
24	2	("20030067481").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/24 16:23
25	2	("20030080995").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/24 16:24
26	2	("20030085916").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/24 16:25
27	2	("20030085927").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/24 16:25
28	2	("20030112280").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/24 16:26
29	2	("20030112271").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/24 16:27
30	2	("20030128233").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/24 16:33
31	2	("5499335").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/24 16:33
32	2	("6025836").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/24 16:33
-	1052	(717/101-103,117,120-121,125,130,134-135,158-167,170-173,176-178).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/24 08:27

-	10	((("6020884") or ("6009459") or ("6292185") or ("6101486") or ("6282548")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/16 11:03
-	0	((resource\$1 near7 manag\$8) same (application\$1 near3 software)) near10 (client or web or tier or internet or communication\$1)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/16 11:11
-	23	((resource\$1 near7 manag\$8) same (application\$1 near3 software)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/16 11:08
-	19016541	@ad<=20000602 or @rlfd<=20000602	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/18 08:04
-	1052	(717/101-103,117,120-121,125,130,134-135,158-167,171-178).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/16 11:09
-	914	(@ad<=20000602 or @rlfd<=20000602) and ((717/101-103,117,120-121,125,130,134-135,158-167,171-178).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/22 10:11
-	536	((resource\$1 near7 manag\$8) same (application\$1 or software)) near10 (client or web or tier or internet or communication\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/16 15:53
-	356	((resource\$1 near7 manag\$8) same (application\$1 or software)) near10 (client or web or tier or internet or communication\$1)) and (@ad<=20000602 or @rlfd<=20000602)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/16 11:12
-	1268	((@ad<=20000602 or @rlfd<=20000602) and ((717/101-103,117,120-121,125,130,134-135,158-167,171-178).CCLS.) or (((resource\$1 near7 manag\$8) same (application\$1 or software)) near10 (client or web or tier or internet or communication\$1)) and (@ad<=20000602 or @rlfd<=20000602)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/16 11:11
-	3441	((@ad<=20000602 or @rlfd<=20000602) and ((717/101-103,117,120-121,125,130,134-135,158-167,171-178).CCLS.) or (((resource\$1 near7 manag\$8) same (application\$1 or software)) near10 (client or web or tier or internet or communication\$1)) and (@ad<=20000602 or @rlfd<=20000602)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/18 08:02
-	144	((@ad<=20000602 or @rlfd<=20000602) and ((717/101-103,117,120-121,125,130,134-135,158-167,171-178).CCLS.) or (((resource\$1 near7 manag\$8) same (application\$1 or software)) near10 (client or web or tier or internet or communication\$1)) and (@ad<=20000602 or @rlfd<=20000602)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/16 11:11
-	7457	((@ad<=20000602 or @rlfd<=20000602) and ((717/101-103,117,120-121,125,130,134-135,158-167,171-178).CCLS.) or (((resource\$1 near7 manag\$8) same (application\$1 or software)) near10 (client or web or tier or internet or communication\$1)) and (@ad<=20000602 or @rlfd<=20000602)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/16 15:52
-	25	((@ad<=20000602 or @rlfd<=20000602) and ((717/101-103,117,120-121,125,130,134-135,158-167,171-178).CCLS.) or (((resource\$1 near7 manag\$8) same (application\$1 or software)) near10 (client or web or tier or internet or communication\$1)) and (@ad<=20000602 or @rlfd<=20000602)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/16 11:11
-	2	((@ad<=20000602 or @rlfd<=20000602) and ((717/101-103,117,120-121,125,130,134-135,158-167,171-178).CCLS.) or (((resource\$1 near7 manag\$8) same (application\$1 or software)) near10 (client or web or tier or internet or communication\$1)) and (@ad<=20000602 or @rlfd<=20000602)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/16 14:18

-	15	("5544360" "5696989" "5706507" "5727129" "5731805" "5737619" "5761436" "5764906" "5778368" "5793964" "5832496" "5845299" "5848407" "5855020" "5960409").PN.	USPAT	2002/12/16 14:20
-	10	6009459.URPN.	USPAT	2002/12/16 14:45
-	476	((geograph\$5 or region\$5) near5 resource\$1) and ((user\$1 or network\$1)near8 (request\$4 or interfac\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/16 15:04
-	7457	((region or language) adj2 specific) or international\$6) same (interface or GUI)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/17 16:32
-	536	((resource\$1 near7 manag\$8) same (application\$1 or software)) near10 (client or web or tier or internet or communication\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/16 15:53
-	49	((region or language) adj2 specific) or international\$6) same (interface or GUI) and (((resource\$1 near7 manag\$8) same (application\$1 or software)) near10 (client or web or tier or internet or communication\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/16 15:53
-	38	(@ad<=20000602 or @rlfd<=20000602) and ((((region or language) adj2 specific) or international\$6) same (interface or GUI) and (((resource\$1 near7 manag\$8) same (application\$1 or software)) near10 (client or web or tier or internet or communication\$1))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/17 08:05
-	38	(@ad<=20000602 or @rlfd<=20000602) and ((((region or language) adj2 specific) or international\$6) same (interface or GUI) and (((resource\$1 near7 manag\$8) same (application\$1 or software)) near10 (client or web or tier or internet or communication\$1))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/17 08:07
-	3448	((link\$4 or group\$4 or pass\$4 or obtain\$4 or access\$4) near5 resource\$1) and (client adj2 server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/17 08:06
-	7477	((region or language) adj2 specific) or international\$6) same (interface or GUI)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/17 08:07
-	233	((link\$4 or group\$4 or pass\$4 or obtain\$4 or access\$4) near5 resource\$1) and (client adj2 server)) and (((region or language) adj2 specific) or international\$6) same (interface or GUI))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/17 08:07
-	178	(@ad<=20000602 or @rlfd<=20000602) and (((link\$4 or group\$4 or pass\$4 or obtain\$4 or access\$4) near5 resource\$1) and (client adj2 server)) and (((region or language) adj2 specific) or international\$6) same (interface or GUI)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/17 16:26
-	1903	((user\$1 or client\$1) adj3 preference\$1) near7 (parameter\$1 or data or field\$1 or indicator\$1 or string\$1 or file\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/17 08:11

-	1041	customi\$6 near5 (user\$1 adj3 interface\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/17 14:30
-	43	((user\$1 or client\$1) adj3 preference\$1 near7 (parameter\$1 or data or field\$1 or indicator\$1 or string\$1 or file\$1)) and (customi\$6 near5 (user\$1 adj3 interface\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/12 08:31
-	81	((user\$1 or client\$1) adj3 preference\$1) near7 (parameter\$1 or data or field\$1 or indicator\$1 or string\$1 or file\$1)) and (customi\$6 near5 (user\$1 adj3 interface\$1))) or ((@ad<=20000602 or @rlfd<=20000602) and (((region or language) adj2 specific) or international\$6) same (interface or GUI)) and (((resource\$1 near7 manag\$8) same (application\$1 or software)) near10 (client or web or tier or internet or communication\$1))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/17 08:14
-	6	((@ad<=20000602 or @rlfd<=20000602) and (((link\$4 or group\$4 or pass\$4 or obtain\$4 or access\$4) near5 resource\$1) and (client adj2 server)) and (((region or language) adj2 specific) or international\$6) same (interface or GUI)))) and ((user\$1 or client\$1) adj3 preference\$1) near7 (parameter\$1 or data or field\$1 or indicator\$1 or string\$1 or file\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/17 08:17
-	7	(customi\$6 near5 (user\$1 adj3 interface\$1)) and ((@ad<=20000602 or @rlfd<=20000602) and (((link\$4 or group\$4 or pass\$4 or obtain\$4 or access\$4) near5 resource\$1) and (client adj2 server)) and (((region or language) adj2 specific) or international\$6) same (interface or GUI))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/17 08:29
-	58	(((((user\$1 or client\$1) adj3 preference\$1) near7 (parameter\$1 or data or field\$1 or indicator\$1 or string\$1 or file\$1)) and (customi\$6 near5 (user\$1 adj3 interface\$1))) or ((@ad<=20000602 or @rlfd<=20000602) and (((region or language) adj2 specific) or international\$6) same (interface or GUI)) and (((resource\$1 near7 manag\$8) same (application\$1 or software)) near10 (client or web or tier or internet or communication\$1))))) not (((@ad<=20000602 or @rlfd<=20000602) and (((link\$4 or group\$4 or pass\$4 or obtain\$4 or access\$4) near5 resource\$1) and (client adj2 server)) and (((region or language) adj2 specific) or international\$6) same (interface or GUI)))) and ((user\$1 or client\$1) adj3 preference\$1) near7 (parameter\$1 or data or field\$1 or indicator\$1 or string\$1 or file\$1)) or ((customi\$6 near5 (user\$1 adj3 interface\$1)) and ((@ad<=20000602 or @rlfd<=20000602) and (((link\$4 or group\$4 or pass\$4 or obtain\$4 or access\$4) near5 resource\$1) and (client adj2 server)) and (((region or language) adj2 specific) or international\$6) same (interface or GUI))))) and (@ad<=20000602 or @rlfd<=20000602)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/17 08:31

-	26	(US-6292185-\$ or US-6101486-\$ or US-6282548-\$ or US-6020884-\$ or US-6009459-\$ or US-6434598-\$ or US-6393475-\$ or US-6330554-\$ or US-6209031-\$ or US-5987245-\$ or US-5768510-\$ or US-6493703-\$ or US-5848407-\$ or US-5832496-\$ or US-5764906-\$ or US-5737619-\$ or US-5727129-\$ or US-6484199-\$ or US-6199099-\$ or US-5862325-\$ or US-5710918-\$ or US-5625818-\$ or US-5619710-\$ or US-6324538-\$ or US-6300948-\$ or US-5844554-\$).did.	USPAT	2002/12/17 08:32
-	53	(((((user\$1 or client\$1) adj3 preference\$1) near7 (parameter\$1 or data or field\$1 or indicator\$1 or string\$1 or file\$1)) and (customi\$6 near5 (user\$1 adj3 interface\$1))) or ((@ad<=20000602 or @rlfd<=20000602) and (((region or language) adj2 specific) or international\$6) same (interface or GUI)) and (((resource\$1 near7 manag\$8) same (application\$1 or software)) near10 (client or web or tier or internet or communication\$1))))) not ((((@ad<=20000602 or @rlfd<=20000602) and (((link\$4 or group\$4 or pass\$4 or obtain\$4 or access\$4) near5 resource\$1) and (client adj2 server)) and (((region or language) adj2 specific) or international\$6) same (interface or GUI)))) and (((user\$1 or client\$1) adj3 preference\$1) near7 (parameter\$1 or data or field\$1 or indicator\$1 or string\$1 or file\$1))) or ((customi\$6 near5 (user\$1 adj3 interface\$1)) and ((@ad<=20000602 or @rlfd<=20000602) and (((link\$4 or group\$4 or pass\$4 or obtain\$4 or access\$4) near5 resource\$1) and (client adj2 server)) and (((region or language) adj2 specific) or international\$6) same (interface or GUI))))))) and (@ad<=20000602 or @rlfd<=20000602)) not ((US-6292185-\$ or US-6101486-\$ or US-6282548-\$ or US-6020884-\$ or US-6009459-\$ or US-6434598-\$ or US-6393475-\$ or US-6330554-\$ or US-6209031-\$ or US-5987245-\$ or US-5768510-\$ or US-6493703-\$ or US-5848407-\$ or US-5832496-\$ or US-5764906-\$ or US-5737619-\$ or US-5727129-\$ or US-6484199-\$ or US-6199099-\$ or US-5862325-\$ or US-5710918-\$ or US-5625818-\$ or US-5619710-\$ or US-6324538-\$ or US-6300948-\$ or US-5844554-\$).did.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/17 08:40
-	402	(345/703,744-745,747,749).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/17 08:45
-	33	((@ad<=20000602 or @rlfd<=20000602) and ((((region or language) adj2 specific) or international\$6) same (interface or GUI)) and ((345/703,744-745,747,749).CCLS.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/17 14:29

-	11	((@ad<=20000602 or @rlfd<=20000602) and (((region or language) adj2 specific) or international\$6) same (interface or GUI)) and ((345/703,744-745,747,749).CCLS.))) and ((internet or (client adj server) or tier\$3 or web or browser\$1) same (distribution\$1 or communication\$1 or transaction\$1 or download\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/17 11:46
-	32	Gish.inv. and (user adj interface)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/17 14:25
-	2	6282548.URPN.	USPAT	2002/12/17 13:16
-	15	("5544360" "5696989" "5706507" "5727129" "5731805" "5737619" "5761436" "5764906" "5778368" "5793964" "5832496" "5845299" "5848407" "5855020" "5960409").PN.	USPAT	2002/12/17 13:16
-	189	(local\$5 near5 (executi\$4 near5 application)) and ((remote or server\$1 or download\$4) adj4 (resource\$1 or data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/17 14:29
-	69	((local\$5 near5 (executi\$4 near5 application)) and ((remote or server\$1 or download\$4) adj4 (resource\$1 or data))) and (@ad<=20000602 or @rlfd<=20000602) and (client adj2 server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/17 15:04
-	6766	(customi\$6 or generat\$4) near8 (user\$1 adj3 interface\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/17 14:31
-	11	((local\$5 near5 (executi\$4 near5 application)) and ((remote or server\$1 or download\$4) adj4 (resource\$1 or data))) and (@ad<=20000602 or @rlfd<=20000602) and (client adj2 server)) and ((customi\$6 or generat\$4) near8 (user\$1 adj3 interface\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/17 14:47
-	80	((upgrad\$4 or updat\$4 or chang\$4) near7 ((browser or software) adj3 application\$1)) and (resource\$1 same download\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/17 15:03
-	27	((upgrad\$4 or updat\$4 or chang\$4) near7 ((browser or software) adj3 application\$1)) and (resource\$1 same download\$4)) and (@ad<=20000602 or @rlfd<=20000602) and (client adj2 server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/17 15:15
-	26	((upgrad\$4 or updat\$4 or chang\$4) near7 ((browser or software) adj3 application\$1)) and (resource\$1 same download\$4)) and (@ad<=20000602 or @rlfd<=20000602) and (user adj interface)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/17 15:05

-	9	(((((upgrad\$4 or updat\$4 or chang\$4) near7 ((browser or software) adj3 application\$1)) and (resource\$1 same download\$4)) not (((upgrad\$4 or updat\$4 or chang\$4) near7 ((browser or software) adj3 application\$1)) and (resource\$1 same download\$4)) and (@ad<=20000602 or @rlfd<=20000602) and (client adj2 server)) or (((upgrad\$4 or updat\$4 or chang\$4) near7 ((browser or software) adj3 application\$1)) and (resource\$1 same download\$4)) and (@ad<=20000602 or @rlfd<=20000602) and (user adj interface)))) and (@ad<=20000602 or @rlfd<=20000602)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/17 15:16
-	33	(((((upgrad\$4 or updat\$4 or chang\$4) near7 ((browser or software) adj3 application\$1)) and (resource\$1 same download\$4)) and (@ad<=20000602 or @rlfd<=20000602) and (client adj2 server)) or (((upgrad\$4 or updat\$4 or chang\$4) near7 ((browser or software) adj3 application\$1)) and (resource\$1 same download\$4)) and (@ad<=20000602 or @rlfd<=20000602) and (user adj interface)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/17 15:47
-	172	((upgrad\$4 or updat\$4)near4 (DLL\$1 or application\$1)) and (download\$4 near5 (resource\$1 or data) near4 (remote or server))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/17 16:23
-	88	(@ad<=20000602 or @rlfd<=20000602) and (((upgrad\$4 or updat\$4)near4 (DLL\$1 or application\$1)) and (download\$4 near5 (resource\$1 or data) near4 (remote or server)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/17 16:23
-	1234	(client adj2 server) and ((customi\$5 or build\$4 or generat\$4) near7 ((user adj interfac\$3) or GUI))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/17 16:26
-	758	(@ad<=20000602 or @rlfd<=20000602) and ((client adj2 server) and ((customi\$5 or build\$4 or generat\$4) near7 ((user adj interfac\$3) or GUI)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/17 16:54
-	5	(((@ad<=20000602 or @rlfd<=20000602) and (((upgrad\$4 or updat\$4)near4 (DLL\$1 or application\$1)) and (download\$4 near5 (resource\$1 or data) near4 (remote or server)))) and ((@ad<=20000602 or @rlfd<=20000602) and ((client adj2 server) and ((customi\$5 or build\$4 or generat\$4) near7 ((user adj interfac\$3) or GUI))))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/17 16:29
-	7477	(((region or language) adj2 specific) or international\$6) same (interface or GUI)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/17 16:33
-	9	(((((region or language) adj2 specific) or international\$6) same (interface or GUI)) and ((@ad<=20000602 or @rlfd<=20000602) and (((upgrad\$4 or updat\$4)near4 (DLL\$1 or application\$1)) and (download\$4 near5 (resource\$1 or data) near4 (remote or server))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/17 16:38
-	2	("6317761").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/17 16:53

-	7	(@ad<=20000602 or @rlfd<=20000602) and (upgrad\$4 near4 (browser or dll\$1)).ab.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/17 16:54
-	13	(upgrad\$4 near4 (browser or dll\$1)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/18 08:00
-	188	((upgrad\$4 or customi\$5) near4 ((user adj interface) or (visual adj3 presentation))) and (client adj2 server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/18 08:02
-	3587	((link\$4 or group\$4 or pass\$4 or obtain\$4 or retriev\$4 or access\$4) near5 resource\$1) and (client adj2 server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/18 08:04
-	67	(((((upgrad\$4 or customi\$5) near4 ((user adj interface) or (visual adj3 presentation))) and (client adj2 server)) and (((link\$4 or group\$4 or pass\$4 or obtain\$4 or retriev\$4 or access\$4) near5 resource\$1) and (client adj2 server))) and (@ad<=20000602 or @rlfd<=20000602)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/18 08:04
-	55	(US-6324538-\$ or US-6300948-\$ or US-6209031-\$ or US-5844554-\$ or US-6493703-\$ or US-6484199-\$ or US-6434598-\$ or US-6393475-\$ or US-6330554-\$ or US-6292185-\$ or US-6282548-\$ or US-6199099-\$ or US-6101486-\$ or US-6020884-\$ or US-6009459-\$ or US-5987245-\$ or US-5862325-\$ or US-5848407-\$ or US-5832496-\$ or US-5768510-\$ or US-5764906-\$ or US-5737619-\$ or US-5727129-\$ or US-5710918-\$ or US-5625818-\$ or US-5619710-\$).did. or (US-6421653-\$ or US-6233620-\$ or US-6141699-\$ or US-6141010-\$ or US-6055512-\$ or US-5978043-\$ or US-5737726-\$ or US-6469713-\$ or US-6407754-\$ or US-6404445-\$ or US-6339755-\$ or US-6232968-\$ or US-6252589-\$ or US-6133916-\$ or US-6014138-\$ or US-6014135-\$ or US-6014137-\$ or US-5977964-\$ or US-5917484-\$ or US-5835768-\$ or US-5430836-\$ or US-6457060-\$ or US-6256668-\$ or US-6473794-\$ or US-6314451-\$ or US-6006034-\$ or US-6360255-\$).did. or (US-5940074-\$).did. or (US-20010039565-\$).did.	USPAT; US-PGPUB	2002/12/18 08:05

-	61	(((((upgrad\$4 or customi\$5) near4 ((user adj interface) or (visual adj3 presentation))) and (client adj2 server)) and (((link\$4 or group\$4 or pass\$4 or obtain\$4 or retriev\$4 or access\$4) near5 resource\$1) and (client adj2 server))) and (@ad<=20000602 or @rlfd<=20000602)) not ((US-6324538-\$ or US-6300948-\$ or US-6209031-\$ or US-5844554-\$ or US-6493703-\$ or US-6484199-\$ or US-6434598-\$ or US-6393475-\$ or US-6330554-\$ or US-6292185-\$ or US-6282548-\$ or US-6199099-\$ or US-6101486-\$ or US-6020884-\$ or US-6009459-\$ or US-5987245-\$ or US-5862325-\$ or US-5848407-\$ or US-5832496-\$ or US-5768510-\$ or US-5764906-\$ or US-5737619-\$ or US-5727129-\$ or US-5710918-\$ or US-5625818-\$ or US-5619710-\$).did. or (US-6421653-\$ or US-6233620-\$ or US-6141699-\$ or US-6141010-\$ or US-6055512-\$ or US-5978043-\$ or US-5737726-\$ or US-6469713-\$ or US-6407754-\$ or US-6404445-\$ or US-6339755-\$ or US-6232968-\$ or US-6252589-\$ or US-6133916-\$ or US-6014138-\$ or US-6014135-\$ or US-6014137-\$ or US-5977964-\$ or US-5917484-\$ or US-5835768-\$ or US-5430836-\$ or US-6457060-\$ or US-6256668-\$ or US-6473794-\$ or US-6314451-\$ or US-6006034-\$ or US-6360255-\$).did. or (US-5940074-\$).did. or (US-20010039565-\$).did.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/18 08:05
-	0	6486892.URPN.	USPAT	2002/12/18 08:22
-	1591	((user near3 (preference\$1 near3 chang\$4)) same request\$4 or form\$4) and (upgrad\$4 same ((user adj2 interface) or presentation or GUI or screen or advertis\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/11 12:41
-	1	((user near3 (preference\$1 near3 chang\$4)) same (request\$4 or form\$4 or submi\$6)) and (upgrad\$4 same ((user adj2 interface) or presentation or GUI or screen or advertis\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/11 12:52
-	7	(toolbar near4 (setting\$1 or preference\$1 or layout)) near4 (chang\$4 or modification\$1 or upgrad\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/11 12:50
-	3492	(request near4 change) and (client or user) and (download\$4 or install\$4 or upgrad\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/11 12:51
-	100	((request near4 change) and (client or user) and (download\$4 or install\$4 or upgrad\$4)) and (upgrad\$4 same ((user adj2 interface) or presentation or GUI or screen or advertis\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/11 12:52
-	41	((request near4 change) and (client or user) and (download\$4 or install\$4 or upgrad\$4)) and (upgrad\$4 same ((user adj2 interface) or presentation or GUI or screen or advertis\$5))) and (709/\$ or 345/\$) and (@ad<=20000602 or @rlad<=20000602)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/11 16:00

-	2	((request near4 change) and (client or user) and (download\$4 or install\$4 or upgrad\$4)) and (upgrad\$4 same ((user adj2 interface) or presentation or GUI or screen or advertis\$5))) and 717/\$ and (@ad<=20000602 or @rlad<=20000602)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/11 15:51
-	27	(upgrad\$4 or chang\$4) near3 ((presentation adj2 space) or ((terminal or screen or window\$1) adj2 preference\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/11 15:59
-	5	((upgrad\$4 or chang\$4) near3 ((presentation adj2 space) or ((terminal or screen or window\$1) adj2 preference\$1))) and ((client\$1 or user\$1 or customer\$1) same request\$4) and (download\$4 or install\$4 or upgrad\$4) and (@ad<=20000602 or @rlad<=20000602)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/12 08:34
-	5896	((upgrad\$4 or chang\$3) same ((presentation or GUI or window or terminal or page\$1 or web) near3 (data or software or application or image or layout))).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/12 08:29
-	372	((user\$1 or client\$1) adj3 preference\$1) near7 (parameter\$1 or data or field\$1 or indicator\$1 or string\$1 or file\$1)) and (customi\$6 same ((user\$1 adj3 interface\$1) or layout or window\$1 or presentation))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/12 08:33
-	3	((upgrad\$4 or chang\$3) same ((presentation or GUI or window or terminal or page\$1 or web) near3 (data or software or application or image or layout))).ab.) and (((user\$1 or client\$1) adj3 preference\$1) near7 (parameter\$1 or data or field\$1 or indicator\$1 or string\$1 or file\$1)) and (customi\$6 same ((user\$1 adj3 interface\$1) or layout or window\$1 or presentation)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/12 08:33
-	2	((upgrad\$4 or chang\$3) same ((presentation or GUI or window or terminal or page\$1 or web) near3 (data or software or application or image or layout))).ab.) and (((user\$1 or client\$1) adj3 preference\$1) near7 (parameter\$1 or data or field\$1 or indicator\$1 or string\$1 or file\$1)) and (customi\$6 same ((user\$1 adj3 interface\$1) or layout or window\$1 or presentation))) and (@ad<=20000602 or @rlad<=20000602)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/12 08:40
-	14	(customi\$5 near3 ((web or browser) adj3 (layout or preference\$1 or presentation or pages or toolbar))).ab. and ((user\$1 or client) near3 (request or preferenc\$3)) and (server same (resources or parameter\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/12 08:40
-	7	((customi\$5 near3 ((web or browser) adj3 (layout or preference\$1 or presentation or pages or toolbar))).ab. and ((user\$1 or client) near3 (request or preferenc\$3)) and (server same (resources or parameter\$1))) and (@ad<=20000602 or @rlad<=20000602)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/12 11:55
-	19	(toolbar adj2 (software or application)) same browser	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/21 14:18

-	12	((toolbar adj2 (software or application)) same browser) and (@ad<=20000602 or @rlad<=20000602)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/21 16:25
-	0	(request near4 upgrade) same (toolbar near3 (application or module or software or code or program))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/21 16:25
-	2	(download\$4 or upgrad\$4) adj5 (toolbar adj3 (application or software or module or program or code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/22 09:27
-	1	((download\$4 or upgrad\$4) adj5 (toolbar adj3 (application or software or module or program or code))) and (@ad<=20000602 or @rlad<=20000602)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/22 09:28
-	2	(download\$4 adj2 toolbar) and browser	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/23 08:51